

KONWEKCYJNE GRZEJNIKI CO. WODNE, MIEDZIANO-ALUMINIOWE typu "PREMIUM"

"Premium V1" - grzejniki dolnozasilane						
Typ grzejnika Premium V1	Đługość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc ciepłota wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 22 cm						
V1 22/050	50	0,33	4,1	266	253,00	
V1 22/065	65	0,43	5,0	389	289,00	
V1 22/080	80	0,53	6,0	508	325,00	
V1 22/095	95	0,63	7,0	625	362,00	
V1 22/110	110	0,73	8,0	740	398,00	
V1 22/125	125	0,83	9,0	854	436,00	
V1 22/140	140	0,93	10,0	966	480,00	
V1 22/155	155	1,03	11,0	1077	516,00	
V1 22/170	170	1,13	12,0	1187	552,00	
V1 22/185	185	1,23	13,0	1297	588,00	
V1 22/200	200	1,33	14,0	1405	632,00	
V1 22/215	215	1,43	14,9	1513	668,00	
V1 22/230	230	1,53	15,9	1620	705,00	
V1 22/245	245	1,63	16,9	1727	742,00	
V1 22/260	260	1,73	17,9	1833	779,00	
V1 22/275	275	1,83	18,9	1939	817,00	
V1 22/290	290	1,93	19,8	2044	854,00	
Wysokość H = 35 cm						
V1 35/050	50	0,33	4,5	360	274,00	
V1 35/065	65	0,43	5,5	525	313,00	
V1 35/080	80	0,53	6,6	687	352,00	
V1 35/095	95	0,63	7,7	845	392,00	
V1 35/110	110	0,73	8,8	1000	431,00	
V1 35/125	125	0,83	9,9	1154	473,00	
V1 35/140	140	0,93	11,0	1306	520,00	
V1 35/155	155	1,03	12,1	1456	559,00	
V1 35/170	170	1,13	13,2	1605	598,00	
V1 35/185	185	1,23	14,3	1753	637,00	
V1 35/200	200	1,33	15,4	1900	678,00	
V1 35/215	215	1,43	16,4	2046	724,00	
V1 35/230	230	1,53	17,5	2191	765,00	
V1 35/245	245	1,63	18,6	2335	777,00	
V1 35/260	260	1,73	19,7	2478	846,00	
V1 35/275	275	1,83	20,8	2621	888,00	
V1 35/290	290	1,93	21,8	2763	927,00	
Wysokość H = 50 cm						
V1 50/050	50	0,33	4,9	434	294,00	
V1 50/065	65	0,43	6,0	634	337,00	
V1 50/080	80	0,53	7,2	829	379,00	
V1 50/095	95	0,63	8,5	1020	423,00	
V1 50/110	110	0,73	9,7	1208	465,00	
V1 50/125	125	0,83	10,9	1393	510,00	
V1 50/140	140	0,93	12,1	1576	561,00	
V1 50/155	155	1,03	13,3	1758	603,00	
V1 50/170	170	1,13	14,6	1938	645,00	
V1 50/185	185	1,23	15,8	2116	688,00	
V1 50/200	200	1,33	17,0	2294	739,00	
V1 50/215	215	1,43	18,1	2470	781,00	
V1 50/230	230	1,53	19,3	2645	825,00	
V1 50/245	245	1,63	20,6	2819	838,00	
V1 50/260	260	1,73	21,8	2992	914,00	
V1 50/275	275	1,83	23,0	3164	959,00	
V1 50/290	290	1,93	24,3	3336	1002,00	

"Premium B1" - grzejniki bocznozasilane						
Typ grzejnika Premium B1	Đługość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc ciepłota wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 20 cm						
B1 20/050	50	0,36	3,6	322	260,00	
B1 20/065	65	0,46	4,6	438	296,00	
B1 20/080	80	0,56	5,6	557	333,00	
B1 20/095	95	0,66	6,5	674	370,00	
B1 20/110	110	0,76	7,5	789	407,00	
B1 20/125	125	0,86	8,5	903	444,00	
B1 20/140	140	0,96	9,5	1015	488,00	
B1 20/155	155	1,06	10,5	1127	523,00	
B1 20/170	170	1,16	11,4	1232	559,00	
B1 20/185	185	1,26	12,4	1342	597,00	
B1 20/200	200	1,36	13,4	1451	640,00	
B1 20/215	215	1,46	14,4	1559	677,00	
B1 20/230	230	1,56	15,4	1667	713,00	
B1 20/245	245	1,66	16,4	1774	750,00	
B1 20/260	260	1,76	17,3	1880	787,00	
B1 20/275	275	1,86	18,3	1986	826,00	
B1 20/290	290	1,96	19,3	2086	864,00	
Wysokość H = 35 cm						
B1 35/050	50	0,36	4,0	435	280,00	
B1 35/065	65	0,46	5,1	592	319,00	
B1 35/080	80	0,56	6,2	753	360,00	
B1 35/095	95	0,66	7,3	911	400,00	
B1 35/110	110	0,76	8,4	1066	441,00	
B1 35/125	125	0,86	9,5	1220	481,00	
B1 35/140	140	0,96	10,6	1373	529,00	
B1 35/155	155	1,06	11,7	1523	568,00	
B1 35/170	170	1,16	12,8	1665	607,00	
B1 35/185	185	1,26	13,9	1814	649,00	
B1 35/200	200	1,36	15,0	1961	688,00	
B1 35/215	215	1,46	16,1	2108	736,00	
B1 35/230	230	1,56	17,2	2254	776,00	
B1 35/245	245	1,66	18,3	2398	817,00	
B1 35/260	260	1,76	19,4	2541	858,00	
B1 35/275	275	1,86	20,5	2685	900,00	
B1 35/290	290	1,96	21,6	2821	942,00	
Wysokość H = 50 cm						
B1 50/050	50	0,36	4,4	526	298,00	
B1 50/065	65	0,46	5,6	714	341,00	
B1 50/080	80	0,56	6,8	908	385,00	
B1 50/095	95	0,66	8,0	1099	428,00	
B1 50/110	110	0,76	9,3	1287	473,00	
B1 50/125	125	0,86	10,5	1473	516,00	
B1 50/140	140	0,96	11,7	1657	567,00	
B1 50/155	155	1,06	12,9	1839	610,00	
B1 50/170	170	1,16	14,1	2010	652,00	
B1 50/185	185	1,26	15,4	2190	697,00	
B1 50/200	200	1,36	16,6	2368	747,00	
B1 50/215	215	1,46	17,8	2545	791,00	
B1 50/230	230	1,56	19,0	2721	834,00	
B1 50/245	245	1,66	20,3	2895	879,00	
B1 50/260	260	1,76	21,5	3068	923,00	
B1 50/275	275	1,86	22,7	3241	969,00	
B1 50/290	290	1,96	23,9	3405	1014,00	

KONWEKCYJNE GRZEJNIKI CO. WODNE, MIEDZIANO-ALUMINIOWE typu "PREMIUM"

"Premium V2" - grzejniki dolnozasilane						
Typ grzejnika Premium V2	Đugość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc cieplna wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 50 cm						
V2 50/050	50	0,7	6,8	525	412,00	
V2 50/065	65	0,89	8,6	766	482,00	
V2 50/080	80	1,09	10,3	1001	552,00	
V2 50/095	95	1,29	12,1	1232	624,00	
V2 50/110	110	1,49	13,9	1459	693,00	
V2 50/125	125	1,69	15,7	1683	766,00	
V2 50/140	140	1,9	17,5	1904	845,00	
V2 50/155	155	2,1	19,3	2124	914,00	
V2 50/170	170	2,29	21,0	2341	984,00	
V2 50/185	185	2,49	22,8	2557	1054,00	
V2 50/200	200	2,69	24,6	2771	1134,00	
V2 50/215	215	2,89	26,3	2983	1204,00	
V2 50/230	230	3,09	28,1	3195	1278,00	
V2 50/245	245	3,29	29,9	3405	1352,00	
V2 50/260	260	3,5	31,7	3614	1425,00	
V2 50/275	275	3,7	33,5	3822	1499,00	
V2 50/290	290	3,89	35,2	4030	1568,00	
Wysokość H = 65 cm						
V2 65/050	50	0,7	7,2	603	426,00	
V2 65/065	65	0,89	9,1	881	499,00	
V2 65/080	80	1,09	10,9	1151	570,00	
V2 65/095	95	1,29	12,9	1417	645,00	
V2 65/110	110	1,49	14,8	1678	717,00	
V2 65/125	125	1,69	16,7	1935	793,00	
V2 65/140	140	1,9	18,6	2190	874,00	
V2 65/155	155	2,1	20,5	2442	946,00	
V2 65/170	170	2,29	22,4	2692	1018,00	
V2 65/185	185	2,49	24,3	2940	1091,00	
V2 65/200	200	2,69	26,2	3186	1173,00	
V2 65/215	215	2,89	28,0	3430	1245,00	
V2 65/230	230	3,09	29,9	3673	1322,00	
V2 65/245	245	3,29	31,9	3915	1399,00	
V2 65/260	260	3,5	33,8	4156	1474,00	
V2 65/275	275	3,7	35,7	4395	1551,00	
V2 65/290	290	3,89	37,5	4633	1623,00	
Wysokość H = 80 cm						
V2 80/050	50	0,7	7,6	670	436,00	
V2 80/065	65	0,89	9,6	978	511,00	
V2 80/080	80	1,09	11,6	1278	584,00	
V2 80/095	95	1,29	13,7	1572	661,00	
V2 80/110	110	1,49	15,7	1862	734,00	
V2 80/125	125	1,69	17,7	2148	812,00	
V2 80/140	140	1,9	19,7	2430	895,00	
V2 80/155	155	2,1	21,7	2710	969,00	
V2 80/170	170	2,29	23,8	2988	1044,00	
V2 80/185	185	2,49	25,8	3263	1118,00	
V2 80/200	200	2,69	27,8	3536	1202,00	
V2 80/215	215	2,89	29,8	3808	1277,00	
V2 80/230	230	3,09	31,8	4077	1355,00	
V2 80/245	245	3,29	33,9	4346	1434,00	
V2 80/260	260	3,5	35,9	4613	1511,00	
V2 80/275	275	3,7	37,9	4878	1590,00	
V2 80/290	290	3,89	39,9	5143	1664,00	

"Premium B2" - grzejniki bocznozasilane						
Typ grzejnika Premium B2	Đugość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc cieplna wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 50 cm						
B2 50/050	50	0,74	6,3	635	427,00	
B2 50/065	65	0,93	8,0	863	497,00	
B2 50/080	80	1,13	9,8	1097	570,00	
B2 50/095	95	1,33	11,6	1328	640,00	
B2 50/110	110	1,53	13,4	1555	712,00	
B2 50/125	125	1,73	15,1	1780	770,00	
B2 50/140	140	1,93	17,0	2002	862,00	
B2 50/155	155	2,14	18,7	2222	932,00	
B2 50/170	170	2,33	20,5	2429	1002,00	
B2 50/185	185	2,53	22,3	2645	1075,00	
B2 50/200	200	2,73	24,0	2860	1153,00	
B2 50/215	215	2,93	25,8	3074	1226,00	
B2 50/230	230	3,13	27,6	3286	1297,00	
B2 50/245	245	3,33	29,4	3498	1371,00	
B2 50/260	260	3,53	31,1	3706	1445,00	
B2 50/275	275	3,74	32,9	3915	1519,00	
B2 50/290	290	3,93	34,7	4113	1592,00	
Wysokość H = 65 cm						
B2 65/050	50	0,74	6,7	730	440,00	
B2 65/065	65	0,93	8,5	992	513,00	
B2 65/080	80	1,13	10,4	1262	588,00	
B2 65/095	95	1,33	12,4	1527	660,00	
B2 65/110	110	1,53	14,3	1788	735,00	
B2 65/125	125	1,73	16,1	2046	796,00	
B2 65/140	140	1,93	18,1	2301	890,00	
B2 65/155	155	2,14	19,9	2554	963,00	
B2 65/170	170	2,33	21,9	2792	1035,00	
B2 65/185	185	2,53	23,8	3041	1111,00	
B2 65/200	200	2,73	25,6	3289	1191,00	
B2 65/215	215	2,93	27,5	3534	1267,00	
B2 65/230	230	3,13	29,4	3779	1341,00	
B2 65/245	245	3,33	31,4	4022	1418,00	
B2 65/260	260	3,53	33,2	4262	1494,00	
B2 65/275	275	3,74	35,1	4502	1571,00	
B2 65/290	290	3,93	37,0	4729	1647,00	
Wysokość H = 80 cm						
B2 80/050	50	0,74	7,1	810	450,00	
B2 80/065	65	0,93	9,1	1101	525,00	
B2 80/080	80	1,13	11,1	1401	602,00	
B2 80/095	95	1,33	13,2	1695	676,00	
B2 80/110	110	1,53	15,2	1985	753,00	
B2 80/125	125	1,73	17,2	2271	815,00	
B2 80/140	140	1,93	19,2	2555	911,00	
B2 80/155	155	2,14	21,2	2835	986,00	
B2 80/170	170	2,33	23,3	3100	1060,00	
B2 80/185	185	2,53	25,3	3376	1138,00	
B2 80/200	200	2,73	27,3	3650	1220,00	
B2 80/215	215	2,93	29,3	3923	1298,00	
B2 80/230	230	3,13	31,3	4194	1374,00	
B2 80/245	245	3,33	33,3	4464	1453,00	
B2 80/260	260	3,53	35,3	4730	1531,00	
B2 80/275	275	3,74	37,3	4997	1610,00	
B2 80/290	290	3,93	39,3	5250	1688,00	

KONWEKCYJNE GRZEJNIKI CO. WODNE, MIEDZIANO-ALUMINIOWE typu "PREMIUM"

"Premium V3" - grzejniki dolnozasilane						
Typ grzejnika Premium V3	Đługość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc ciepłina wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 11 cm						
V3 11/100	100	0,71	6,5	762	370,00	
V3 11/115	115	0,81	7,5	903	406,00	
V3 11/130	130	0,91	8,5	1041	443,00	
V3 11/145	145	1,01	9,5	1178	480,00	
V3 11/160	160	1,11	10,5	1314	515,00	
V3 11/175	175	1,21	11,4	1449	564,00	
V3 11/190	190	1,31	12,4	1582	600,00	
V3 11/205	205	1,41	13,4	1714	636,00	
V3 11/220	220	1,51	14,4	1846	671,00	
V3 11/235	235	1,61	15,4	1977	708,00	
V3 11/250	250	1,71	16,4	2107	745,00	
V3 11/265	265	1,81	17,3	2236	781,00	
V3 11/280	280	1,91	18,3	2365	819,00	
V3 11/295	295	2,01	19,3	2493	855,00	
Wysokość H = 16 cm						
V3 16/100	100	0,71	7,3	846	382,00	
V3 16/115	115	0,81	8,4	1002	418,00	
V3 16/130	130	0,91	9,5	1156	457,00	
V3 16/145	145	1,01	10,6	1308	495,00	
V3 16/160	160	1,11	11,7	1459	531,00	
V3 16/175	175	1,21	12,8	1608	581,00	
V3 16/190	190	1,31	13,9	1756	618,00	
V3 16/205	205	1,41	15,0	1903	656,00	
V3 16/220	220	1,51	16,1	2049	693,00	
V3 16/235	235	1,61	17,2	2194	731,00	
V3 16/250	250	1,71	18,3	2339	768,00	
V3 16/265	265	1,81	19,4	2482	806,00	
V3 16/280	280	1,91	20,5	2625	845,00	
V3 16/295	295	2,01	21,6	2768	882,00	
Wysokość H = 20 cm						
V3 20/100	100	0,71	8,0	905	393,00	
V3 20/115	115	0,81	9,3	1072	430,00	
V3 20/130	130	0,91	10,5	1237	471,00	
V3 20/145	145	1,01	11,7	1400	510,00	
V3 20/160	160	1,11	12,9	1561	547,00	
V3 20/175	175	1,21	14,1	1720	599,00	
V3 20/190	190	1,31	15,4	1879	637,00	
V3 20/205	205	1,41	16,6	2036	676,00	
V3 20/220	220	1,51	17,8	2193	714,00	
V3 20/235	235	1,61	19,0	2348	753,00	
V3 20/250	250	1,71	20,3	2502	792,00	
V3 20/265	265	1,81	21,5	2656	831,00	
V3 20/280	280	1,91	22,7	2809	871,00	
V3 20/295	295	2,01	23,9	2961	910,00	

"Premium B3" - grzejniki bocznozasilane						
Typ grzejnika Premium B3	Đługość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc ciepłina wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 11 cm						
B3 11/100	100	0,71	6,5	822	366,00	
B3 11/115	115	0,81	7,5	962	403,00	
B3 11/130	130	0,91	8,5	1101	440,00	
B3 11/145	145	1,01	9,5	1238	483,00	
B3 11/160	160	1,11	10,5	1375	519,00	
B3 11/175	175	1,21	11,4	1503	555,00	
B3 11/190	190	1,31	12,4	1637	592,00	
B3 11/205	205	1,41	13,4	1770	635,00	
B3 11/220	220	1,51	14,4	1902	671,00	
B3 11/235	235	1,61	15,4	2033	707,00	
B3 11/250	250	1,71	16,4	2164	744,00	
B3 11/265	265	1,81	17,3	2293	781,00	
B3 11/280	280	1,91	18,3	2423	819,00	
B3 11/295	295	2,01	19,3	2545	857,00	
Wysokość H = 16 cm						
B3 16/100	100	0,71	7,3	912	376,00	
B3 16/115	115	0,81	8,4	1068	414,00	
B3 16/130	130	0,91	9,5	1222	452,00	
B3 16/145	145	1,01	10,6	1375	497,00	
B3 16/160	160	1,11	11,7	1526	534,00	
B3 16/175	175	1,21	12,8	1668	571,00	
B3 16/190	190	1,31	13,9	1817	610,00	
B3 16/205	205	1,41	15,0	1965	654,00	
B3 16/220	220	1,51	16,1	2111	692,00	
B3 16/235	235	1,61	17,2	2257	729,00	
B3 16/250	250	1,71	18,3	2402	767,00	
B3 16/265	265	1,81	19,4	2546	805,00	
B3 16/280	280	1,91	20,5	2689	844,00	
B3 16/295	295	2,01	21,6	2825	884,00	
Wysokość H = 20 cm						
B3 20/100	100	0,71	8,0	976	387,00	
B3 20/115	115	0,81	9,3	1143	426,00	
B3 20/130	130	0,91	10,5	1308	465,00	
B3 20/145	145	1,01	11,7	1471	505,00	
B3 20/160	160	1,11	12,9	1633	549,00	
B3 20/175	175	1,21	14,1	1785	588,00	
B3 20/190	190	1,31	15,4	1944	628,00	
B3 20/205	205	1,41	16,6	2102	673,00	
B3 20/220	220	1,51	17,8	2259	712,00	
B3 20/235	235	1,61	19,0	2415	750,00	
B3 20/250	250	1,71	20,3	2570	790,00	
B3 20/265	265	1,81	21,5	2724	829,00	
B3 20/280	280	1,91	22,7	2878	870,00	
B3 20/295	295	2,01	23,9	3023	910,00	

KONWEKCYJNE GRZEJNIKI CO. WODNE, MIEDZIANO-ALUMINIOWE typu "PREMIUM"

"Premium V4" - grzejniki dolnozasilane						
Typ grzejnika Premium V4	Đugość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc cieplna wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 20 cm						
V4 20/100	100	1,29	12,1	1325	681,00	
V4 20/115	115	1,49	13,9	1569	750,00	
V4 20/130	130	1,69	15,7	1810	819,00	
V4 20/145	145	1,90	17,5	2048	889,00	
V4 20/160	160	2,10	19,3	2283	957,00	
V4 20/175	175	2,29	21,0	2517	1027,00	
V4 20/190	190	2,49	22,8	2749	1098,00	
V4 20/205	205	2,69	24,6	2979	1168,00	
V4 20/220	220	2,89	26,3	3208	1238,00	
V4 20/235	235	3,09	28,1	3435	1305,00	
V4 20/250	250	3,29	29,9	3661	1375,00	
V4 20/265	265	3,50	31,7	3886	1444,00	
V4 20/280	280	3,70	33,5	4110	1515,00	
V4 20/295	295	3,89	35,2	4333	1585,00	
Wysokość H = 30 cm						
V4 30/100	100	1,29	13,6	1563	697,00	
V4 30/115	115	1,49	15,6	1851	768,00	
V4 30/130	130	1,69	17,7	2135	839,00	
V4 30/145	145	1,90	19,7	2416	911,00	
V4 30/160	160	2,10	21,7	2694	980,00	
V4 30/175	175	2,29	23,6	2970	1052,00	
V4 30/190	190	2,49	25,7	3244	1125,00	
V4 30/205	205	2,69	27,7	3515	1196,00	
V4 30/220	220	2,89	29,6	3785	1268,00	
V4 30/235	235	3,09	31,6	4054	1337,00	
V4 30/250	250	3,29	33,7	4320	1408,00	
V4 30/265	265	3,50	35,7	4586	1479,00	
V4 30/280	280	3,70	37,7	4850	1552,00	
V4 30/295	295	3,89	39,6	5113	1623,00	
Wysokość H = 40 cm						
V4 40/100	100	1,29	15,1	1802	713,00	
V4 40/115	115	1,49	17,4	2133	785,00	
V4 40/130	130	1,69	19,6	2461	858,00	
V4 40/145	145	1,90	21,9	2785	932,00	
V4 40/160	160	2,10	24,1	3105	1002,00	
V4 40/175	175	2,29	26,3	3423	1076,00	
V4 40/190	190	2,49	28,5	3739	1150,00	
V4 40/205	205	2,69	30,8	4052	1224,00	
V4 40/220	220	2,89	32,9	4363	1297,00	
V4 40/235	235	3,09	35,2	4672	1367,00	
V4 40/250	250	3,29	37,4	4979	1440,00	
V4 40/265	265	3,50	39,7	5285	1513,00	
V4 40/280	280	3,70	41,9	5589	1587,00	
V4 40/295	295	3,89	44,1	5892	1661,00	

"Premium B4" - grzejniki bocznozasilane						
Typ grzejnika Premium B4	Đugość grzejnika	Pojemność wodna	Masa grzejnika	Normalna moc cieplna wg PN-EN 442 75/65/20°C	Cena netto	
	cm	dm ³	kg	W	PLN	
Wysokość H = 20 cm						
B4 20/100	100	1,29	12,1	1428	638,00	
B4 20/115	115	1,49	13,9	1672	707,00	
B4 20/130	130	1,69	15,7	1913	775,00	
B4 20/145	145	1,9	17,5	2152	845,00	
B4 20/160	160	2,1	19,3	2389	912,00	
B4 20/175	175	2,29	21,0	2611	982,00	
B4 20/190	190	2,49	22,8	2844	1052,00	
B4 20/205	205	2,69	24,6	3075	1119,00	
B4 20/220	220	2,89	26,3	3305	1189,00	
B4 20/235	235	3,09	28,1	3534	1256,00	
B4 20/250	250	3,29	29,9	3761	1325,00	
B4 20/265	265	3,5	31,7	3985	1394,00	
B4 20/280	280	3,7	33,5	4210	1465,00	
B4 20/295	295	3,89	35,2	4423	1534,00	
Wysokość H = 30 cm						
B4 30/100	100	1,29	13,6	1685	659,00	
B4 30/115	115	1,49	15,6	1973	730,00	
B4 30/130	130	1,69	17,7	2258	800,00	
B4 30/145	145	1,9	19,7	2540	871,00	
B4 30/160	160	2,1	21,7	2819	939,00	
B4 30/175	175	2,29	23,6	3081	1011,00	
B4 30/190	190	2,49	25,7	3356	1083,00	
B4 30/205	205	2,69	27,7	3629	1151,00	
B4 30/220	220	2,89	29,6	3900	1223,00	
B4 30/235	235	3,09	31,6	4170	1291,00	
B4 30/250	250	3,29	33,7	4438	1362,00	
B4 30/265	265	3,5	35,7	4702	1432,00	
B4 30/280	280	3,7	37,7	4968	1504,00	
B4 30/295	295	3,89	39,6	5219	1576,00	
Wysokość H = 40 cm						
B4 40/100	100	1,29	15,1	1942	679,00	
B4 40/115	115	1,49	17,4	2274	751,00	
B4 40/130	130	1,69	19,6	2602	823,00	
B4 40/145	145	1,9	21,9	2927	895,00	
B4 40/160	160	2,1	24,1	3249	965,00	
B4 40/175	175	2,29	26,3	3551	1038,00	
B4 40/190	190	2,49	28,5	3868	1111,00	
B4 40/205	205	2,69	30,8	4183	1182,00	
B4 40/220	220	2,89	32,9	4495	1254,00	
B4 40/235	235	3,09	35,2	4806	1324,00	
B4 40/250	250	3,29	37,4	5115	1396,00	
B4 40/265	265	3,5	39,7	5420	1469,00	
B4 40/280	280	3,7	41,9	5726	1542,00	
B4 40/295	295	3,89	44,1	6015	1616,00	